


Specifications

10.5" PCAP IN-WALL MOUNT TOUCH PC

Model: All-in-one-A1Touch-Samsung-10.5-4-64-Android-Domo



A1Touch Solution BV

Hogeweg 21
NL-6367 BA Voerendaal
The Netherlands

☎ : +31-(0)45 574 81 90

📄 : +31-(0)45 574 81 91

✉ : info@A1TouchSolution.nl

🌐 : www.A1TouchSolution.nl



This touchscreen system can meet your highest expectations:

- It has a borderless hufferproof 4mm hardened touchscreen glass that can be used in all kind of buildings.
- The unit can be made waterproof by sealing the frontglass, ideal for use in bathrooms or toilets.
- We can deliver standard with a black border or on request with white border,
- Unit can be built inside all walls with minimum thickness of 5 cm.
- Android apps like loxone can be installed to connect via Wifi or LAN with your other smart home devices
- This unit is made based on Samsung technology with benefit of their worldwide platform of knowledge.

Art.No.: 1020153261
Brand: A1Touch Solution (in cooperation with Samsung)
Type: All in one A1Touch-Samsung-10.5-4-64-Android-Domo (passive cooled)

Description:

10.5" pcap touchsystem for IN-WALL mounting, 4mm glare hardened glass, black borders, 325x240mm (wxh) with domo enclosure and psu.

Specifications:

Display specs:

Hufferproof glass panel: Glare Tempered Glass with black borders, wxhxt=
325x240x4mm (custom design f.e. with logo on request).

Touchscreen type: Projected Capacitive PCAP 10 pts touch

LCD Type: Super AMOLED (WQXGA)

Size: 10.5 inches, 319.7 cm²

Resolution (max): 2560x1600 pixels, 16:10 ratio (~288 ppi density)

Brightness: 450 cd/m²

Computer specs:

OS: Android 9.0 (Pie), upgradable to Android 10, One UI 2.5

Chipset: Qualcomm SDM670 Snapdragon 670 (10 nm)

CPU: Octa-core (2x2.0 GHz 360 Gold & 6x1.7 GHz Kryo 360 Silver)

GPU: Adreno 615

Memory: 64GB 4GB RAM eMMC 5.1; internal Card slot: microSDXC, Max 512Gb (option)

Camera / Video: 8 MP, f/2.0, 26mm, 1/4", 1.12µm / 1080p@30fps

Sound: With internal 4 stereo Speakers tuned by AKG/Harman

Power: Delivered with PS 60W PSU 110/240V AC to 5 VDC, Internal battery 7040 mAh typical (UPS function)

Power cable: Standard delivered with 1.1 meter power cable. On request we can deliver 2 or max 3 meter cable length.

Communication:

- LAN: 1Gbps ethernet port.
- Wlan: Wi-Fi 802.11 a/b/g/n/ac, dual-band, Wi-Fi Direct, hotspot
- Bluetooth: 5.0, A2DP, LE
- GPS: Yes, with A-GPS, GLONASS, BDS, GALILEO
- USB: 3.0

External connections:	<ul style="list-style-type: none">• 3x <i>USB3.0</i>,• 1x <i>USB 3.1 (charge connection 5Vdc)</i>• 1x <i>Ethernet RJ45 upto 1000Mb</i>• 1x <i>HDMI</i>• 1x <i>SD card slot</i>• 1x <i>TF card slot</i>• <i>input: 110/240V AC to 5 VDC. incl. psu PD 60W.</i>
Dimensions:	<ul style="list-style-type: none">• Dimensions Front module: 325x240x35mm (WxHxD)• Dimensions Domo enclosure: 300x215x45mm (WxHxD)• Advised dimension hole in wall: 305x220x50mm (WxHxD)
Enclosure:	Enclosure with magnetic closing system, height adjustable to cover wall thickness deviations.
Weight	+/-4 Kg